

By Unisource

INCREASE YOUR PROFITS WITH ARTISAN BREADS!

Authentic Korean Style TWO PAN WIDE DECK OVENS

Features:

- Authentic Korean Style Oven
- Build Your Own Capacity oven with the space you need
- Two pan wide capacity
- Patented conduction & convection
- Modular fully insulated deck design
- One to four decks in height
- Each deck independently operated
- Double glazed full width/height viewing windows
- Standard steel decks. Optional single piece stone hearth on all decks with special glaze finish for easy cleaning available. (See below).
- Digital control panel features separate thermostat, bake and steam timers, upper, lower and front heat controls, interior light for each deck
- Guaranteed to bake even!
- Legs w/locking casters
- CE Approved
- One year parts/labor warranty
- 24/7 nationwide service


STANDARD UNITS:

- UNI-UDOTK-2W-1 (Single Deck)
- UNI-UDOTK-2W-2 (Two Decks)
- UNI-UDOTK-2W-3 (Three Decks)
- UNI-UDOTK-2W-4 (Four Decks)

Options:

- UNI-UDOT-HCSS High Capacity Steam System
- UNI-UDOT-2W-1-STONE Hearth Stone
- UNI-UDOT-PR-2W Undercounter Proofer
- UNI-UDOT-2W-1-SSH 15" High Stainless Steel Hood with Extractor Fan







Optional Undercounter Proofers Available








By Unisource

Authentic Korean Style TWO PAN WIDE DECK OVENS

CE




Two Pan Wide - Three Deck Oven Shown

OPTIONAL PROOFER BASE

Designed to fit Milano II
Two Pan Wide Deck Ovens

SPACESAVER PROOFER					
MODEL	WIDTH	HT.			
UNI-UDOT-PR-2W	56"	26.6"			



- Fully Automatic Proofer
- Digital Controls
- All Stainless Steel Construction
- Advanced Humidification System For Precise Temperature & Humidity
- Auto Water Feed
- Stainless Steel Pan Slides Standard
- 12 Pan Capacity
- 208/220, 1 Phase, 9 Amps, Neutral & Ground With 6 Ft. Cord

NOTE: Can be used with 1, 2, 3 & 4 pan wide ovens only. Maximum of three decks allowed when using Proofer Base.

Requires 1/2" water connection, 3/4" drain connection and water filler with pressure regulator on both the oven and proofer.

STANDARD DECK OVENS									
MODEL	# OF DECKS	WIDTH	HEIGHT (H)	DEPTH	WT.	VOLTAGE	AMPS		
UNI-UDOTK-2W-1	1	56"	64"	43"	536 lbs.	208-220/3 phase	28v		
UNI-UDOTK-2W-2	2	56"	70"	43"	1072 lbs.	208-220/3 phase	42v		
UNI-UDOT-K2W-3	3	56"	75"	43"	1608 lbs.	208-220/3 phase	55v		
UNI-UDOTK-2W-4	4	56"	86"	43"	2144 lbs.	208-220/3 phase	69v		

Direct Phone & Service: (516) 527-3309 • (888) 443-7014 • info@unisourcefoodequipment.com • unisourcefoodequipment.com 170 Wilbur Place, Suite 300, Bohemia, New York, 11716